



# HP LaserJet Managed MFP E730dn Printer Series

## Powerful. Flexible. Secure.

Change is the only constant in business. Advance your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers <sup>1</sup> you'll stay secure and simplify fleet management for busy IT pros.



## Unleash peak productivity.

- Tackle anything with our powerful processor. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Increase your day-to-day productivity with our industry leading, single pass 120 ipm <sup>2</sup> duplex scanning.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 8-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart <sup>3</sup> firmware.

## Customizable solutions built to last.

- Make your day-to-day more productive with customized experiences with cloud-connected HP Workpath apps <sup>5</sup> that let you access personalized content, integrate paper and digital workflows.
- Unleash your creativity and match any office decor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform, containing hundreds of HP and third-party solutions as well as card reader support.

## Always on guard with HP Wolf Security. <sup>6</sup>

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified <sup>7</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

## Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content. <sup>8</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. <sup>9</sup> Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel. <sup>10</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet. <sup>11</sup>

Product walkaround

- 1. Flatbed scanner handles sheets up to 11x17-inch (297 x 432 mm)
- 2. 500-sheet output bin
- 3. Automatic two-sided printing
- 4. Easy-access USB port<sup>1</sup>
- 5. Front door access to toner cartridges
- 6. Slot for cable-type security lock
- 7. Super Speed USB 3.0 Host Port
- 8. Hi-Speed USB 2.0 Host Port
- 9. Gigabit Ethernet Port
- 10. Hi-Speed USB 2.0 device port
- 11. 520-sheet tray 3 supports media sizes up to A3 (11x17-inch)
- 12. 100-sheet dual side ADF supports media sizes up to A3 (11x17-inch)
- 13. 8.0-inch color touchscreen display (20.3 cm)
- 14. Power button
- 15. Hardware Integration Pocket (for connecting accessory and third-party devices)<sup>2</sup>
- 16. Right door access to the print path
- 17. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17-inch)
- 18. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 19. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17-inch)



Series at a glance

|                                                           |                                                                 |                                          |
|-----------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------|
| Model                                                     | HP LaserJet Managed MFP E730dn                                  |                                          |
| Product number                                            | 5QJ87A                                                          | 5QJ87A (Base) + 8EP55AAE (Speed license) |
| Print speed (A4 and letter, Black and color) <sup>3</sup> | Up to 25 ppm                                                    | Up to 30 ppm                             |
| Scan speed (A4 and letter, Black and color) <sup>4</sup>  | 60 ppm/120 ipm, simplex/duplex (both models)                    |                                          |
| Functions                                                 | Print, copy, and scan (fax and wireless optional) (both models) |                                          |

<sup>1</sup> An administrator must enable the easy-access USB port before use. <sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with leading printing, scanning and copying speeds, maximum uptime – powered by HP’s custom designed quad-core processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow. HP Wolf Enterprise Security provides the world’s most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. <sup>1</sup> We keep trouble out so you can keep your business running. Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP’s goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Service and Support | U04NCE - HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx<br>U04NDE - HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx<br>U04NFE - HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx<br>U04NGE - HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx<br>U04NHE - HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx<br>U04NJE - HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx<br>U04NKE - HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx<br>U04NLE - HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)<br>U04NME - HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)<br>U04NNE - HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)<br>U04NQE - HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)<br>U04NRPE - HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E730xx<br>U04NSPE - HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E730xx<br>U04NTPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx<br>U04NVPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx<br>U04NWPE - HP 1 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)<br>U04NXPE - HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx (Managed Component Only)<br>U9PR6E - HP A3 Installation Service for E7xxxx/E8xxxx MFP |
| Solutions           | Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights<br>Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App<br>Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator’s Resource Kit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                |          |                                                                                     |
|----------------|----------|-------------------------------------------------------------------------------------|
| Accessories    | 155P7A   | HP LaserJet InnerFinisher 2/3 Hole Punch                                            |
|                | 155P8A   | HP LaserJet InnerFinisher 2/4 Hole Punch                                            |
|                | 155P9A   | HP LaserJet Inner Finisher Swedish Hole Punch                                       |
|                | 190A1A   | HP LaserJet Workgroup Lunar Gray Color Panel                                        |
|                | 190A6A   | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel           |
|                | 190A9A   | HP LaserJet Workgroup Stand Lunar Gray Color Panel                                  |
|                | 190B1A   | HP LaserJet Workgroup Comet Red Color Panel                                         |
|                | 190B6A   | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel            |
|                | 190B9A   | HP LaserJet Workgroup Stand Comet Red Color Panel                                   |
|                | 190C1A   | HP LaserJet Workgroup Cosmic Green Color Panel                                      |
|                | 190C6A   | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel         |
|                | 190C9A   | HP LaserJet Workgroup Stand Cosmic Green Color Panel                                |
|                | 190D1A   | HP LaserJet Workgroup Constellation Yellow Color Panel                              |
|                | 190D6A   | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel |
|                | 190D9A   | HP LaserJet Workgroup Stand Constellation Yellow Color Panel                        |
|                | 190F1A   | HP LaserJet Workgroup Aurora Purple Color Panel                                     |
|                | 190F6A   | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel        |
|                | 190F9A   | HP LaserJet Workgroup Stand Aurora Purple Color Panel                               |
|                | 2NR12A   | HP Removable Hard Drive Enclosure                                                   |
|                | 2TD64A   | HP Accessibility Kit                                                                |
|                | 35H11A   | HP HID Mobile Access Mifare DES Fire Keystroking Reader                             |
|                | 3JN69A   | HP Jetdirect 3100w BLE/NFC/Wireless Accessory                                       |
|                | 478C2A   | HP Printing Voice Assistant                                                         |
|                | 4QL32A   | HP Legic Secure USB Reader                                                          |
|                | 4XN67A   | Internal USB Expansion Kit                                                          |
|                | 5QK14A   | HP MFP 810 Analog Dual Fax                                                          |
|                | 6GW46A   | HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand                                  |
|                | 6GW49A   | HP LaserJet Inner Finisher                                                          |
|                | 6GW52A   | HP LaserJet Workgroup Job Separator                                                 |
|                | 6GW54A   | HP LaserJet Workgroup Stand                                                         |
|                | 6HN31A   | HP 500GB CCC, FIPS, TAA Hard Disk Drive                                             |
|                | 766R7A   | HP LaserJet 512 GB SED-TAA Full Kit SSD                                             |
|                | 7ZA07A   | HP MFP 811 Analog Dual Fax                                                          |
|                | 7ZA09A   | HP MFP 801 Analog Single Fax                                                        |
|                | 8FP31A   | HP Jetdirect LAN Accessory                                                          |
|                | 9EQ11A   | HP 500GB CCC, FIPS Hard Disk Drive                                                  |
|                | B5L31A   | HP Foreign Interface Harness                                                        |
|                | CC543B   | HP SmartCard NIPRNet Solution for US Government                                     |
|                | F8B30A   | HP SmartCard SIPRNet Solution for US Government                                     |
|                | X3D03A   | HP USB Universal Card Reader                                                        |
|                | Y1G13A   | HP LaserJet Inner/Booklet Staples                                                   |
|                | Y1G22A   | HP LaserJet Paper Tray Heaters Accessory                                            |
|                | Y1G23A   | HP LaserJet Second Exit Accessory                                                   |
|                | Y7C05A   | HP HIP2 Keystroke Reader                                                            |
|                | Y7C07A   | HP SIM for HID iClass for HIP2 Reader                                               |
| Speed Licenses | 8EP55AAE | HP LaserJet Managed MFP E730 25 to 30ppm License                                    |

## Technical specifications

|                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                    |                                    |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------|
| Functions                                      | Print, copy, scan, fax (optional)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                    |                                    |
| Print speed <sup>2,4</sup>                     | <b>Letter Black</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Up to 25 ppm       | Up to 30 ppm (with 8EP55AAE)       |
|                                                | <b>Letter Black Duplex</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Up to 19 ipm       | Up to 20 ipm (with 8EP55AAE)       |
|                                                | <b>First page out Letter Black</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | As fast as 8.2 sec | As fast as 7.3 sec (with 8EP55AAE) |
| Print resolution                               | <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi reduced speed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |                                    |
| Print technology                               | Laser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                    |                                    |
| Print cartridges number                        | 1 (black)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                    |                                    |
| Standard print languages                       | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    |                                    |
| Printer smart software features                | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                    |                                    |
| Color scanning                                 | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                    |                                    |
| Scan speed Normal <sup>5</sup>                 | Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) <b>Duplex:</b> Up to 120 ipm (b&w), up to 120 ipm (color)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                    |                                    |
| Scan type / Technology                         | ADF; Flatbed / Contact Image Sensor (CIS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                    |                                    |
| Scan resolution                                | <b>Hardware:</b> Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                    |                                    |
| Scan file format <sup>6</sup>                  | JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR); CSV (OCR); HTML (OCR); Open Office XML (.docx, .xlsx, .pptx); RTF (OCR); TEXT (OCR); Unicode TEXT (OCR)                                                                                                                                                                                                                                                                                                                       |                    |                                    |
| Scan input modes                               | Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (XOP), HP Workpath applications                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                    |                                    |
| Scan Size                                      | <b>ADF Maximum:</b> 11 x 17 in <b>ADF Minimum:</b> 4.1 x 5 in <b>Flatbed:</b> 11.69 x 17 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                    |                                    |
| Duplex ADF scanning                            | Yes, single pass duplex scanning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |                                    |
| ADF capacity                                   | Standard, 100 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    |                                    |
| Twain version                                  | Version 2.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                    |                                    |
| Bit depth / Grayscale levels                   | 24-bit/256                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |                                    |
| Digital sending standard features <sup>9</sup> | Embedded OCR; scan to Onedrive; scan to Onedrive for Business; scan to Sharepoint Online; scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten |                    |                                    |
| Copy speed <sup>7</sup>                        | <b>Letter Black</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Up to 25 cpm       | Up to 30 cpm (with 8EP55AAE)       |
|                                                | <b>Letter Black Duplex</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Up to 19 cpm       | Up to 20 cpm (with 8EP55AAE)       |
|                                                | <b>First copy out Letter Black</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | As fast as 5.4 sec | As fast as 4.5 sec (with 8EP55AAE) |
| Copy resolution                                | <b>Black (text and graphics):</b> ; Up to 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    |                                    |
| Maximum number of copies                       | Up to 9999 copies                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                    |                                    |
| Copier resize                                  | 25 to 400%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |                                    |
| Copier settings                                | Auto-fit; Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage                                                                                                                                                                                                                                                                                                                         |                    |                                    |
| Fax speed                                      | <b>Up to:</b> 33.6 kbps / <b>Letter:</b> 3 sec per page                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    |                                    |
| Fax resolution                                 | <b>Black (best):</b> Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); <b>Black (standard):</b> 203 x 98 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    |                                    |
| Fax Features                                   | <b>Fax memory:</b> Up to 500 pages; Up to 500 pages <b>Auto fax reduction supported:</b> Yes <b>Auto-redialing:</b> Yes <b>Fax delayed sending:</b> No <b>Distinctive ring detection supported:</b> No <b>Fax forwarding supported:</b> Yes <b>Fax phone TAM interface supported:</b> No <b>Fax polling supported:</b> Yes (poll to receive only) <b>Fax telephone mode supported:</b> No <b>Junk barrier supported:</b> Yes <b>Maximum speed dialing numbers:</b> Up to 1000 numbers (each with 210 destinations) <b>PC interface supported:</b> Yes <b>Remote retrieval capability supported:</b> No <b>Telephone handset supported:</b> No |                    |                                    |
| Standard connectivity                          | 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (host)                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                    |                                    |
| Network capabilities <sup>10</sup>             | Standard (built-in Gigabit 10/100/1000T Ethernet); Microsoft Universal Print (MUP) support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |                                    |
| Wireless capability                            | Optional, enabled with purchase of a hardware accessory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    |                                    |
| Mobile printing capability                     | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |                                    |
| Memory                                         | <b>Standard:</b> 6 GB; <b>Maximum:</b> 6 GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                    |                                    |
| Processor speed                                | Quad Core (1.6GHz)+Dual Core (1.4GHz); SSD(766R7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive / <b>Hard disk:</b> Standard, 32 GB eMMC; Optional, HP LaserJet 500 GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)                                                                                                                                                                                                                                                                                               |                    |                                    |
| Duty cycle (monthly)                           | <b>Letter:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Up to 60,000 pages | Up to 80,000 pages (with 8EP55AAE) |
| Recommended monthly page volume                | Up to 16,000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    |                                    |

Technical specifications

|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Paper handling                       | <b>Input Capacities:</b> Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; <b>Input Capacities, Max:</b> Up to 2180 sheets (Tray1 : up to 100 sheets; Tray 2, 3, 4 & 5: up to 520 sheets); <b>Output Capacities:</b> Up to 500 sheets Standard; Up to 100 sheets Transparencies; <b>Duplex Options:</b> Automatic; <b>Envelope feeder:</b> No; <b>Standard paper trays:</b> 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Media types supported                | Plain, HP EcoEFFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g, Card stock 176-220g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Media weight supported               | Tray 1: 16 to 47 lb bond; Tray 2, 3: 16 to 58.5 lb bond                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Media sizes supported                | Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, Envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Media Sizes Custom                   | Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.5 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.5 x 8.27 to 11.69 x 17 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| What's in the box                    | 5QJ87A In box materials; Guide install, Flyer Regulatory, Power Cords, Label, Drums.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Replacement cartridges <sup>1</sup>  | HP Black Managed LaserJet Toner Cartridge (ISO Yield 18,000) W9034MC, HP Black Managed LaserJet Toner Cartridge (ISO Yield 33,000) W9035MC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product dimensions                   | <b>W x d x h:</b> 22.3 x 25.4 x 31.4 in; <b>Maximum:</b> 53.9 x 47.1 x 44.1 in;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Product weight <sup>3</sup>          | 126.9 lb;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Warranty features                    | 90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Energy star certified                | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Ecolabels                            | IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Control panel                        | 8-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; tilting (adjustable angle) display; Speaker                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Display description                  | 8-in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Software included                    | No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> <a href="http://123.hp.com">http://123.hp.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Security management                  | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs |
| Compatible operating systems         | Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Compatible network operating systems | Windows Server; Linux; Citrix; UNIX; Novell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Minimum system requirements          | <b>PC:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="https://www.microsoft.com">microsoft.com</a> ; <b>Mac:</b> 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="https://www.apple.com">apple.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Power                                | <b>Power supply type:</b> Internal (Built-in) power supply; <b>Power requirements:</b> Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); <b>Power consumption:</b> 510 watts (25ppm, printing), 560 watts (30ppm, printing), 29.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Acoustics <sup>8</sup>               | <b>Acoustic power emissions (active, printing):</b> 6.63 Bel(A), printing simplex A4 at 25ppm; 6.75 Bel(A), printing simplex A4 at 30ppm; <b>Acoustic pressure emissions bystander (active, printing):</b> 51dB(A), printing simplex A4 at 25ppm; 52dB(A), printing simplex A4 at 30ppm; <b>Acoustic pressure emissions bystander (active scan):</b> 53 dB(A), ADF scan A4 at 60ipm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Operating environment                | <b>Operating temperature range:</b> 59 to 86°F ; <b>Recommended operating temperature:</b> 59 to 86°F ; <b>Storage temperature range:</b> 14 to 104°F ; <b>Operating humidity range:</b> 20 to 80% RH; <b>Recommended humidity operating range:</b> 20 to 80% RH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

Messaging Footnotes

<sup>1</sup> HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: [hp.com/go/PrintersThatProtect](https://hp.com/go/PrintersThatProtect). For more information, visit: [hp.com/go/PrinterSecurityClaims](https://hp.com/go/PrinterSecurityClaims)

<sup>2</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

<sup>3</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

<sup>4</sup> HP Web Jetadmin is free and available for download at [hp.com/go/webjetadmin](https://hp.com/go/webjetadmin)

<sup>5</sup> Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

<sup>6</sup> HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

<sup>7</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>

<sup>8</sup> 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

<sup>9</sup> 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See [hp.com/go/TonerRecycledContent](https://hp.com/go/TonerRecycledContent) for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

<sup>10</sup> HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

<sup>11</sup> HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

<sup>2</sup> Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

<sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>4</sup> Excluding toner cartridge weight.

<sup>5</sup> Based on HP internal evaluation measuring the time from print initiation to page exit. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Additionally, for information of First Page Out measured using ISO/IEC 17629, see [hp.com/go/printerclaims](https://hp.com/go/printerclaims).

<sup>6</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

<sup>7</sup> For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). OCR requires HP FutureSmart 5.8.1.1 or later. Open Office XML and other editable OCR formats require optional HP Editable OCR license.

<sup>8</sup> Based on HP internal evaluation measuring the time beginning from scan start to print page exit. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Additionally, for information of First Copy Out measured using ISO/IEC 29183, see <http://www.hp.com/go/printerclaims>.

<sup>9</sup> Acoustic values are subject to change. For current information see <https://www.hp.com/support>

<sup>10</sup> OCR requires HP FutureSmart 5.8.1.1 or later. Scan to Onedrive, scan to Onedrive for Business, and scan to Sharepoint Online requires HP FutureSmart 5.8 or later.

<sup>11</sup> Requires HP FutureSmart 5.8.1.1 or later.

To learn more, visit [hp.com](https://hp.com)

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

